

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20050228923").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 16:28
S2	9	message-signaled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:28
S3	7	message-signaled interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:28
S4	174	message signaled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:28
S5	64	message signaled interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:28
S8	71	msi same signaled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:29
S9	47	(S4 or S5) same msi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:34
S10	2	fake near1 line near1 based near1 interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 09:46

S11	18	interrupt mapper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:36
S12	639	map\$4 near2 interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:36
S13	27	map\$4 near2 interrupt same virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 16:39
S14	27	(message based or message-based) near1 interrupt\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:00
S26	26	interrupt dispatch table\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 09:02
S27	10	line near1 based near1 interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 09:46
S28	146	msi same message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 09:48
S29	51	msi same message same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:02

S30	151	710/269.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:04
S31	64	message signaled interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:03
S32	1	710/269.ccls. and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:03
S33	356	interrupt near1 map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:04
S34	11	interrupt near1 map\$4 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:09
S35	26	interrupt dispatch table\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:09
S36	200	interrupt descriptor table\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:09
S37	217	interrupt descriptor table\$2 or S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:33

S38	200	interrupt descriptor table\$2 or S35 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:10
S39	9	(interrupt descriptor table\$2 or S35) and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:13
S40	27	(interrupt descriptor table\$2 or S35) and 710/260-269.ccls. not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:21
S41	953	intercept\$3 near5 interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:42
S42	1	intercept\$3 near5 interrupt\$2 same (S29 or S31 or S28)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:43
S43	26	intercept\$3 near5 interrupt\$2 same message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 10:47
S44	236	edge trigger\$3 near1 interrupt\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:00
S45	4	interrupt with message near5 memory address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:19

S46	5743	msi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:19
S47	81	msi near5 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:31
S48	191	msi\$2 near5 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:32
S49	110	msi\$2 near5 message not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:32
S50	81	(msi or msi-x) near5 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 11:33
S53	14	(US-20050228923-\$ or US-20050120154-\$ or US-20050066099-\$ or US-20030182484-\$ or US-20030149844-\$ or US-20030131173-\$ or US-20010032287-\$).did. or (US-6944699-\$ or US-6029223-\$ or US-5948093-\$ or US-6976099-\$ or US-6968411-\$ or US-6941398-\$ or US-6629179-\$).did.	US-PGPUB; USPAT	ADJ	OFF	2005/12/20 13:56
S54	11	S53 and msi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 13:58
S55	10	S53 and (operating system or OS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 13:59

S56	8	S53 and (operating system or OS) same (interrupt\$2 or msi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:07
S57	5	S53 and (interrupt vector\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:07
S58	151	710/269.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:32
S59	26	interrupt dispatch table\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:32
S60	9	(interrupt descriptor table\$2 or S59) and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:32
S61	1	S60 and (msi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:32
S62	217	interrupt descriptor table\$2 or S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:33
S63	3	(interrupt descriptor table\$2 or S59) and msi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:40

S64	7	line based interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:41
S65	8	dedicated wire near4 interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:42
S66	5	(non-msi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 14:43
S67	3	S53 and virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 15:11
S68	84	idt same virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 15:11
S69	41	idt with virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/20 15:11
S70	42	message signaled interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:12
S71	362	msi\$2 same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:13

S72	81	msi same interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:40
S73	281	msi\$2 same interrupt\$2 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:13
S74	158	msi same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:14
S75	77	msi same interrupt\$2 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:14
S76	8	S72 and interrupt handler\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:18
S77	11	S72 and interrupt vector\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:24
S78	23	S72 and device driver\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:27
S79	14	710/260-269.ccls. and vmm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:31

S80	141	vmm same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:47
S81	3512	interrupt\$2 near2 message\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:52
S82	394	interrupt\$2 near2 message\$2 and interrupt handler\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:52
S83	111	interrupt\$2 near2 message\$2 and interrupt handler\$2 and interrupt vector\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:52
S84	90	interrupt\$2 near2 message\$2 and interrupt handler\$2 and interrupt vector\$2 and (idt or map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:54
S85	30	interrupt\$2 near2 message\$2 and interrupt handler\$2 and interrupt vector\$2 and (idt or map\$4) and query\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:54
S86	1	interrupt\$2 near2 message\$2 and interrupt handler\$2 and interrupt vector\$2 and (idt or mapper) and query\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:54
S87	60	interrupt\$2 near2 message\$2 and interrupt handler\$2 and interrupt vector\$2 and (idt or map\$4) not S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:55

S88	81	interrupt\$2 near2 message\$2 and interrupt handler\$2 and interrupt vector\$2 not S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:55
S89	45	interrupt\$2 near2 message\$2 and interrupt handler\$2 same interrupt vector\$2 not S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:58
S90	12152	(exception\$2 or trap) same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:58
S91	1091	(exception\$2 or trap) same interrupt\$2 and interrupt handler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:58
S92	97	(exception\$2 or trap) same interrupt\$2 and interrupt handler same interrupt vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:58
S93	55	(exception\$2 or trap) same interrupt\$2 and interrupt handler same interrupt vector and driver\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:59
S94	127	interrupt\$2 and interrupt handler same interrupt vector and driver\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 08:59
S95	2566	driver\$2 same query\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:45

S96	37	driver\$2 same query\$3 same configuration information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:01
S97	394	710/260-269.ccls. and interrupt vector\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:03
S98	95	710/260-269.ccls. and interrupt vector\$2 same handler\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:03
S99	49	710/260-269.ccls. and interrupt vector\$2 same handler\$2 same (table or idt or mapper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:08
S100	8	710/260-269.ccls. and interrupt vector\$2 same handler\$2 same (interrupt dispatch table or interrupt descriptor table or idt or mapper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:17
S101	9	msi and apic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:19
S102	33	interrupt message near5 write	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:28
S103	1	(os or operating system\$2) near3 query\$3 with shar\$3 near2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:29

S10 4	624	(os or operating system\$2) near3 query\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:30
S10 5	34	(os or operating system\$2) near3 query\$3 with shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:34
S10 6	54	(os or operating system\$2) near3 query\$3 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:34
S10 7	52	(os or operating system\$2) near3 query\$3 and "710"/\$.ccls. not S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:38
S10 8	522	(os or operating system\$2) with service routine\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:42
S10 9	316	(os or operating system\$2) with service routine\$2 with interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:42
S11 0	2	(os or operating system\$2) with service routine\$2 with interrupt same query\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:44
S11 1	3	(os or operating system\$2) with service routine\$2 with interrupt same quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:44

S11 2	3449	driver\$2 same quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 09:45
S11 3	29	table\$2 near2 interrupt\$2 near1 dispatch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:26
S11 4	208	table\$2 near2 interrupt\$2 near1 descriptor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:26
S11 5	208	table\$2 near2 interrupt\$2 near1 descriptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:27
S11 6	48	table\$2 near2 interrupt\$2 near1 descriptor same (isr or service routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:37
S11 7	4	interrupt controller same (os or operating system\$2) same quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:46
S11 8	4	msi same idt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:52
S11 9	5743	msi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:52

S12 0	81	msi same interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:52
S12 1	158	msi same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:52
S12 2	3	msi-x same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:54
S12 3	4	msi-x	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:54
S12 4	8220	message based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:55
S12 5	27	message based near1 interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 10:55
S12 6	14	(US-20010032287-\$ or US-20030131173-\$ or US-20030149844-\$ or US-20030182484-\$ or US-20050066099-\$ or US-20050120154-\$ or US-20050228923-\$ or US-20050071531-\$).did. or (US-5948093-\$ or US-6029223-\$ or US-6629179-\$ or US-6941398-\$ or US-6944699-\$ or US-6957432-\$). did.	US-PGPUB; USPAT	ADJ	OFF	2005/12/21 12:51

S12 7	4	S126 and interrupt vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:08
S12 8	56	idt same interrupt vector\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:08
S12 9	1	S126 and interrupt vector\$2 not S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:10
S13 0	3691	(os or operating system or device driver\$2 or driver\$2) near2 prob\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:11
S13 1	70	(os or operating system or device driver\$2 or driver\$2) near2 prob\$3 same interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:12
S13 2	22	(os or operating system or device driver\$2 or driver\$2) near2 prob\$3 same interrupt\$2 same device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:13
S13 3	94	(os or operating system or device driver\$2 or driver\$2) near2 poll\$3 with interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:13
S13 4	26	(os or operating system or device driver\$2 or driver\$2) near2 poll\$3 with interrupt\$2 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:16

S13 5	119	driver\$2 same (shar\$3 near3 interrupt\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:17
S13 6	28	driver\$2 same (shar\$3 near3 interrupt\$2) and 710/260-269.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:19
S13 7	17	driver\$2 same (shar\$3 near3 interrupt\$2) same (poll\$3 or prob\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:20
S13 8	16	(US-20010032287-\$ or US-20030131173-\$ or US-20030149844-\$ or US-20030182484-\$ or US-20050066099-\$ or US-20050120154-\$ or US-20050228923-\$ or US-20050071531-\$).did. or (US-5948093-\$ or US-6029223-\$ or US-6629179-\$ or US-6941398-\$ or US-6944699-\$ or US-6957432-\$ or US-6892359-\$ or US-6766398-\$). did.	US-PGPUB; USPAT	ADJ	OFF	2005/12/21 13:23
S13 9	2	S138 not S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:23
S14 0	64	message signaled interrupt\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:46
S14 1	2822	(driver or OS or operating system) with (determin\$3 or quer\$4) with (request or interrupt\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:47

S14 2	677	(driver or OS or operating system) with (determin\$3 or quer\$4) with (request or interrupt\$2) with device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:48
S14 3	281	(driver or OS or operating system) with (determin\$3 or quer\$4) near3 (request or interrupt\$2) with device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 13:48
S14 4	182	(driver or OS or operating system) with (determin\$3 or quer\$4) near3 (request or interrupt\$2) near4 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 14:56
S14 5	136	(driver or OS or operating system) near4 (determin\$3 or quer\$4) near3 (request or interrupt\$2) near4 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/21 14:22
S14 6	2	("20050125580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 14:56
S14 7	15	non near2 msi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/22 07:48
S14 8	1	msi same interrupt vector same (os or operating system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/22 07:55
S14 9	14	(message based interrupt\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/22 07:56

S15 0	427	(message based interrupt\$2 or message signaled interrupt\$2 or msi) with (system or os or operating system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/22 07:57
S15 1	29	(message based interrupt\$2 or message signaled interrupt\$2 or ((msi with interrupt) and msi)) with (system or os or operating system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/22 07:58
S15 2	81	msi same interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/22 08:19
S15 3	81	(msi same interrupt) and msi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/22 08:20
S15 4	2	("6499078").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 08:20